Subject Index

acute tubular necrosis, 940
adverse effects of ACE inhibitors and angiotensin II receptor blockers in pregnancy, 943–946
adverse reactions to drugs used to treat alcoholism, 947–950
adverse effects of methadone in children, 935–938
adverse reactions and safety of newer disease-modifying anti-rheumatic drugs for rheumatoid arthritis, 927–930
agitation, 931–933, 947
agranulocytosis, 928
alcohol–disulfiram reaction, 948
alopecia, 928
anaemia
  aplastic, 929
anaphylaxis, 927, 948
anhydramnios, 945
anuria, 943–945
anxiety, 948, 949
appetite
  loss, 949
arthralgia, 941, 949
aspergillosis
  bronchopulmonary, 927
  ocular, 927
asphyxia, 936
asthenia, 948, 949
ataxia, 932
bronchospasm, 928, 929
calvaria, 944
cellulitis, 928
cerebellar oedema, 936
chest tightness, 928
clonus, 931, 932
coma, 931, 935, 936
confusion, 931, 932
creatine kinase
  increased, 931
Creutzfeld-Jakob disease, 929
cyanosis, 936
delirium, 931
delusion, 949
depression, 931–933, 935–937, 947–949
diaphoresis, 932
diarrhoea, 928, 931, 932, 948, 949
disseminated intravascular coagulopathy, 931
dizziness, 927, 948, 949
drowsiness, 931, 948, 949
drug-induced acute kidney injury, 939–942
dyspepsia, 927
dyspnoea, 927, 929, 949
eosinophilia, 941
erythema multiforme, 948
Fanconi's syndrome, 940
fatigue, 949
fetal opiate withdrawal syndrome, 936
flushing, 928, 931, 949
glomerulonephritis, 941
Guillain–Barré syndrome, 929
haemolytic uraemic syndrome, 941
hallucinations, 931, 949
  auditory, 949
headache, 927, 928, 948, 949
hepatotoxicity, 948
histoplasmosis, 929
Hunter serotonin toxicity criteria, 931
hydrocephalus, 936, 937
hydrops, 944
hyperglycaemia, 936
hyperpyrexia, 932
hyperreflexia, 931, 932
hypertension, 927–929, 931, 936, 943, 945
hyperthermia, 931, 933
hypocalvaria, 945
hypotension, 927–929, 931, 936, 943–945, 949
hypotonia, 936
hypoxia, 936, 949
ileus, 936
infection
  cryptococcosis, 929
  Herpes simplex, 927
  Herpes zoster, 927
  *Pneumocystis jirovec*i, 929
  respiratory, 927
injection-site
  pain, 949
  redness, 928
insomnia, 948, 949
intrauterine growth retardation, 943–945
leucoencephalopathy, 929
leucopenia, 928
libido
  decreased, 949
limb deformities, 945
liver
  failure, 928
lung disease
  interstitial, 928
lymphoma, 927
malaise, 949
melanoma, 929
meningitis, 929
metabolic acidosis, 931
miosis, 936
myelitis, 929
myoclonus, 931, 932
nausea, 928, 936, 948, 949
neonatal death, 943, 944
nephritis, 941
nephropathy, 941

nephrosis, 941
neuroleptic malignant syndrome, 947
neutropenia, 928, 929
oligohydramnios, 943, 944, 945
pain, 928
  injection site, 928
  joint, 928
  muscle, 928
pancytopenia, 928, 929
paraesthesia, 948
patent ductus arteriosus, 943–945
peripheral neuropathy, 929, 948, 949
pneumonia, 928, 929, 936, 937, 949
pneumonitis, 936
poisoning
  childhood, 935
pruritus, 929, 936, 948, 949
psoriasis, 927
psychosis, 948
pulmonary hypoplasia, 943–945
pyrexia, 928, 929, 941
rash, 928, 929, 941
renal
  failure, 931, 936, 939–945, 948
  necrosis, 940
renal artery thrombosis, 940
respiratory
  arrest, 936
  depression, 936
respiratory distress syndrome, 943, 944
rhabdomyolysis, 931, 936, 941
rheumatoid arthritis, 927
rigors, 929
seizures, 936
serotonin syndrome, 931–934
skull ossification defects, 943, 944
Sternbach's criteria, 931
Stevens–Johnson syndrome, 928
suicidal ideation, 948
suicide, 948
sweating, 931, 936, 948
syncope, 949
tachycardia, 931, 936, 949
thrombocytopenia, 928, 941
thrombotic microangiopathy, 941
torsade de pointes, 936
transaminase
  concentration increase, 928, 948
tremor, 931, 932
tuberculosis, 927, 929
tumour-lysis syndrome, 941
Turner's syndrome, 945
urinary retention, 936
urticaria, 927, 928
vasculitis, 929
vertigo, 949
vision
  blurred, 949
vomiting, 935, 948, 949
Wernicke's encephalopathy, 948

SUBJECT AND DRUG INDEXES TO ADVERSE DRUG REACTION BULLETIN
Nos 242-247 February 2007 – December 2007

Drug Index

abatacept, 927
acamprosate, 948
aciclovir, 941
adalimumab, 928, 929
adefovir, 940
amphotericin, 939, 940
anakinra, 927, 928
benazepril, 944
buprenorphine, 932
bupropion, 932, 933
buspirone, 932, 933
captopril, 944
celecoxib, 940
chlordiazepoxide, 947
chlorphenamine, 932, 933
ciclosporin, 939, 941
cidofovir, 940
ciprofloxacin, 941
citalopram, 932
clomipramine, 931
clopidogrel, 941
cocaine, 941
codeine, 932
colestyramine, 928
co-trimoxazole, 941
dextromethorphan, 932, 933
diamorphine, 941
diazepam, 933, 947
didanosine, 940
dihydrocodeine, 932
dihydroergotamine, 932, 933
disulfiram, 948, 949
droperidol, 947
duloxetine, 933
ecstasy, *See* methylenedioxymethamphetamine
efavirenz, 941
enalapril, 944
etanercept, 927, 928, 929
ethanol, 941, 947–950
fentanyl, 932, 933
flumazenil, 947
fluoxetine, 932
fluvoxamine, 932
foscarnet, 940
haloperidol, 947
Hypericum perforatum. *See* St John's wort
imipramine, 931
immunoglobulin, 927, 929, 941
indinavir, 941
infliximab, 927, 928, 929
ipecacuanha, 937
iproniazid, 932
irbesartan, 945
lamivudine, 940
lansoprazole, 941
leflunomide, 927, 928
linezolid, 932, 933
lisinopril, 944
lithium, 932, 933
losartan, 945
LSD, *See* lysergide
lysergide, 933
methadone, 932, 933, 935, 936, 937
methotrexate, 927–929, 941
methylene blue. *See* methylthioninium chloride
methylenedioxymethamphetamine, 933, 941
methylphenidate, 933
methylthioninium chloride, 933
mirtazapine, 932
mitomycin, 941
moclobemide, 932, 933
morphine, 932
nalmefene, 948, 949
naloxone, 936, 937
naltrexone, 948, 949
nelfinavir, 941
noradrenaline, 932, 933, 935, 939
omeprazole, 941
oxycodone, 932
pantoprazole, 941
paroxetine, 932
pentamidine, 940
pethidine, 932, 933
phenelzine, 932, 933
phenytoin, 941
propoxyphene, 932
quinine, 941
rabeprazole, 941
rifampicin, 940, 941
ritonavir, 940, 941
rituximab, 927, 929
rofecoxib, 940
saquinavir, 941
selegiline, 932, 933
sertraline, 932
sibutramine, 933
sirolimus, 941
St John's wort, 932, 933

sumatriptan, 932, 933
tacrolimus, 939
tenofovir, 940
thiamine, 948
tramadol, 932, 933
tranylcypromine, 932, 933
trazodone, 931, 932
valsartan, 945
venlafaxine, 932, 933